

ОО ФСО ТО
4-й этап летнего кубка Тульской области
по спортивному ориентированию бегом
1.10.2023, ТО, с. Супруты

ПРОТОКОЛ РЕЗУЛЬТАТОВ - СПЛИТЫ

Ж10, 6 кп, 1,7 км

Ж12, 13 КП, 2,9 км

Ж14, 17 КП, 3,7 км

Ж16, 17 КП, 3,9 км

Ж18, 20 КП, 4,3 км

※21 25 КП 5 км

ЖЗ0, 25 КП, 5 км

Ж50, 17 КП, 3,7 к

Ж60, 17 КП, 3,7 к

Ж70, 13 КП, 2,9 к

М10, 6 кП, 1,7 км

M12, 13 RTI, 2,9 K

М14, 17 КП, 3,9 к

М16, 20 КП, 4,3 к

М18, 28 КП, 6,1

М21-28 КП. 6.1

М30, 28 КП, 6,1 к

М40, 25 кп, 5 км

М50, 20 КП, 4,3 к

М60, 17 КП, 3,9 к

М79, 13 КП, 2,9 к

НОВИНКИ 1 КВ 2014

File Name	Line	Description	Class Name	Method Name	Method ID	Line No.	L1	L2	L3	L4	L5	L6
1. <i>Alphabets</i> .java	1-2	Initializes the array of alphabets	None	None	None	1-2	1-2	1-2	1-2	1-2	1-2	1-2
2. <i>Alphabets</i> .java	3-4	Prints the first two alphabets	None	main	None	3-4	3-4	3-4	3-4	3-4	3-4	3-4
3. <i>Alphabets</i> .java	5-6	Prints the last two alphabets	None	main	None	5-6	5-6	5-6	5-6	5-6	5-6	5-6
4. <i>Alphabets</i> .java	7-8	Prints the middle two alphabets	None	main	None	7-8	7-8	7-8	7-8	7-8	7-8	7-8
5. <i>Alphabets</i> .java	9-10	Prints all the alphabets	None	main	None	9-10	9-10	9-10	9-10	9-10	9-10	9-10
6. <i>Alphabets</i> .java	11-12	Prints the first three alphabets	None	main	None	11-12	11-12	11-12	11-12	11-12	11-12	11-12
7. <i>Alphabets</i> .java	13-14	Prints the last three alphabets	None	main	None	13-14	13-14	13-14	13-14	13-14	13-14	13-14
8. <i>Alphabets</i> .java	15-16	Prints the middle three alphabets	None	main	None	15-16	15-16	15-16	15-16	15-16	15-16	15-16
9. <i>Alphabets</i> .java	17-18	Prints the first four alphabets	None	main	None	17-18	17-18	17-18	17-18	17-18	17-18	17-18
10. <i>Alphabets</i> .java	19-20	Prints the last four alphabets	None	main	None	19-20	19-20	19-20	19-20	19-20	19-20	19-20
11. <i>Alphabets</i> .java	21-22	Prints the middle four alphabets	None	main	None	21-22	21-22	21-22	21-22	21-22	21-22	21-22
12. <i>Alphabets</i> .java	23-24	Prints all the alphabets	None	main	None	23-24	23-24	23-24	23-24	23-24	23-24	23-24
13. <i>Alphabets</i> .java	25-26	Prints the first five alphabets	None	main	None	25-26	25-26	25-26	25-26	25-26	25-26	25-26
14. <i>Alphabets</i> .java	27-28	Prints the last five alphabets	None	main	None	27-28	27-28	27-28	27-28	27-28	27-28	27-28
15. <i>Alphabets</i> .java	29-30	Prints the middle five alphabets	None	main	None	29-30	29-30	29-30	29-30	29-30	29-30	29-30
16. <i>Alphabets</i> .java	31-32	Prints the first six alphabets	None	main	None	31-32	31-32	31-32	31-32	31-32	31-32	31-32
17. <i>Alphabets</i> .java	33-34	Prints the last six alphabets	None	main	None	33-34	33-34	33-34	33-34	33-34	33-34	33-34
18. <i>Alphabets</i> .java	35-36	Prints the middle six alphabets	None	main	None	35-36	35-36	35-36	35-36	35-36	35-36	35-36
19. <i>Alphabets</i> .java	37-38	Prints the first seven alphabets	None	main	None	37-38	37-38	37-38	37-38	37-38	37-38	37-38
20. <i>Alphabets</i> .java	39-40	Prints the last seven alphabets	None	main	None	39-40	39-40	39-40	39-40	39-40	39-40	39-40
21. <i>Alphabets</i> .java	41-42	Prints the middle seven alphabets	None	main	None	41-42	41-42	41-42	41-42	41-42	41-42	41-42
22. <i>Alphabets</i> .java	43-44	Prints the first eight alphabets	None	main	None	43-44	43-44	43-44	43-44	43-44	43-44	43-44
23. <i>Alphabets</i> .java	45-46	Prints the last eight alphabets	None	main	None	45-46	45-46	45-46	45-46	45-46	45-46	45-46
24. <i>Alphabets</i> .java	47-48	Prints the middle eight alphabets	None	main	None	47-48	47-48	47-48	47-48	47-48	47-48	47-48
25. <i>Alphabets</i> .java	49-50	Prints the first nine alphabets	None	main	None	49-50	49-50	49-50	49-50	49-50	49-50	49-50
26. <i>Alphabets</i> .java	51-52	Prints the last nine alphabets	None	main	None	51-52	51-52	51-52	51-52	51-52	51-52	51-52
27. <i>Alphabets</i> .java	53-54	Prints the middle nine alphabets	None	main	None	53-54	53-54	53-54	53-54	53-54	53-54	53-54
28. <i>Alphabets</i> .java	55-56	Prints the first ten alphabets	None	main	None	55-56	55-56	55-56	55-56	55-56	55-56	55-56
29. <i>Alphabets</i> .java	57-58	Prints the last ten alphabets	None	main	None	57-58	57-58	57-58	57-58	57-58	57-58	57-58
30. <i>Alphabets</i> .java	59-60	Prints the middle ten alphabets	None	main	None	59-60	59-60	59-60	59-60	59-60	59-60	59-60
31. <i>Alphabets</i> .java	61-62	Prints the first eleven alphabets	None	main	None	61-62	61-62	61-62	61-62	61-62	61-62	61-62
32. <i>Alphabets</i> .java	63-64	Prints the last eleven alphabets	None	main	None	63-64	63-64	63-64	63-64	63-64	63-64	63-64
33. <i>Alphabets</i> .java	65-66	Prints the middle eleven alphabets	None	main	None	65-66	65-66	65-66	65-66	65-66	65-66	65-66
34. <i>Alphabets</i> .java	67-68	Prints the first twelve alphabets	None	main	None	67-68	67-68	67-68	67-68	67-68	67-68	67-68
35. <i>Alphabets</i> .java	69-70	Prints the last twelve alphabets	None	main	None	69-70	69-70	69-70	69-70	69-70	69-70	69-70
36. <i>Alphabets</i> .java	71-72	Prints the middle twelve alphabets	None	main	None	71-72	71-72	71-72	71-72	71-72	71-72	71-72
37. <i>Alphabets</i> .java	73-74	Prints the first thirteen alphabets	None	main	None	73-74	73-74	73-74	73-74	73-74	73-74	73-74
38. <i>Alphabets</i> .java	75-76	Prints the last thirteen alphabets	None	main	None	75-76	75-76	75-76	75-76	75-76	75-76	75-76
39. <i>Alphabets</i> .java	77-78	Prints the middle thirteen alphabets	None	main	None	77-78	77-78	77-78	77-78	77-78	77-78	77-78
40. <i>Alphabets</i> .java	79-80	Prints the first fourteen alphabets	None	main	None	79-80	79-80	79-80	79-80	79-80	79-80	79-80
41. <i>Alphabets</i> .java	81-82	Prints the last fourteen alphabets	None	main	None	81-82	81-82	81-82	81-82	81-82	81-82	81-82
42. <i>Alphabets</i> .java	83-84	Prints the middle fourteen alphabets	None	main	None	83-84	83-84	83-84	83-84	83-84	83-84	83-84
43. <i>Alphabets</i> .java	85-86	Prints the first fifteen alphabets	None	main	None	85-86	85-86	85-86	85-86	85-86	85-86	85-86
44. <i>Alphabets</i> .java	87-88	Prints the last fifteen alphabets	None	main	None	87-88	87-88	87-88	87-88	87-88	87-88	87-88
45. <i>Alphabets</i> .java	89-90	Prints the middle fifteen alphabets	None	main	None	89-90	89-90	89-90	89-90	89-90	89-90	89-90
46. <i>Alphabets</i> .java	91-92	Prints the first sixteen alphabets	None	main	None	91-92	91-92	91-92	91-92	91-92	91-92	91-92
47. <i>Alphabets</i> .java	93-94	Prints the last sixteen alphabets	None	main	None	93-94	93-94	93-94	93-94	93-94	93-94	93-94
48. <i>Alphabets</i> .java	95-96	Prints the middle sixteen alphabets	None	main	None	95-96	95-96	95-96	95-96	95-96	95-96	95-96
49. <i>Alphabets</i> .java	97-98	Prints the first seventeen alphabets	None	main	None	97-98	97-98	97-98	97-98	97-98	97-98	97-98
50. <i>Alphabets</i> .java	99-100	Prints the last seventeen alphabets	None	main	None	99-100	99-100	99-100	99-100	99-100	99-100	99-100
51. <i>Alphabets</i> .java	101-102	Prints the middle seventeen alphabets	None	main	None	101-102	101-102	101-102	101-102	101-102	101-102	101-102
52. <i>Alphabets</i> .java	103-104	Prints the first eighteen alphabets	None	main	None	103-104	103-104	103-104	103-104	103-104	103-104	103-104
53. <i>Alphabets</i> .java	105-106	Prints the last eighteen alphabets	None	main	None	105-106	105-106	105-106	105-106	105-106	105-106	105-106
54. <i>Alphabets</i> .java	107-108	Prints the middle eighteen alphabets	None	main	None	107-108	107-108	107-108	107-108	107-108	107-108	107-108
55. <i>Alphabets</i> .java	109-110	Prints the first nineteen alphabets	None	main	None	109-110	109-110	109-110	109-110	109-110	109-110	109-110
56. <i>Alphabets</i> .java	111-112	Prints the last nineteen alphabets	None	main	None	111-112	111-112	111-112	111-112	111-112	111-112	111-112
57. <i>Alphabets</i> .java	113-114	Prints the middle nineteen alphabets	None	main	None	113-114	113-114	113-114	113-114	113-114	113-114	113-114
58. <i>Alphabets</i> .java	115-116	Prints the first twenty alphabets	None	main	None	115-116	115-116	115-116	115-116	115-116	115-116	115-116
59. <i>Alphabets</i> .java	117-118	Prints the last twenty alphabets	None	main	None	117-118	117-118	117-118	117-118	117-118	117-118	117-118
60. <i>Alphabets</i> .java	119-120	Prints the middle twenty alphabets	None	main	None	119-120	119-120	119-120	119-120	119-120	119-120	119-120
61. <i>Alphabets</i> .java	121-122	Prints the first twenty one alphabets	None	main	None	121-122	121-122	121-122	121-122	121-122	121-122	121-122
62. <i>Alphabets</i> .java	123-124	Prints the last twenty one alphabets	None	main	None	123-124	123-124	123-124	123-124	123-124	123-124	123-124
63. <i>Alphabets</i> .java	125-126	Prints the middle twenty one alphabets	None	main	None	125-126	125-126	125-126	125-126	125-126	125-126	125-126
64. <i>Alphabets</i> .java	127-128	Prints the first twenty two alphabets	None	main	None	127-128	127-128	127-128	127-128	127-128	127-128	127-128
65. <i>Alphabets</i> .java	129-130	Prints the last twenty two alphabets	None	main	None	129-130	129-130	129-130	129-130	129-130	129-130	129-130
66. <i>Alphabets</i> .java	131-132	Prints the middle twenty two alphabets	None	main	None	131-132	131-132	131-132	131-132	131-132	131-132	131-132
67. <i>Alphabets</i> .java	133-134	Prints the first twenty three alphabets	None	main	None	133-134	133-134	133-134	133-134	133-134	133-134	133-134
68. <i>Alphabets</i> .java	135-136	Prints the last twenty three alphabets	None	main	None	135-136	135-136	135-136	135-136	135-136	135-136	135-136
69. <i>Alphabets</i> .java	137-138	Prints the middle twenty three alphabets	None	main	None	137-138	137-138	137-138	137-138	137-138	137-138	137-138
70. <i>Alphabets</i> .java	139-140	Prints the first twenty four alphabets	None	main	None	139-140	139-140	139-140	139-140	139-140	139-140	139-140
71. <i>Alphabets</i> .java	141-142	Prints the last twenty four alphabets	None	main	None	141-142	141-142	141-142	141-142	141-142	141-142	141-142
72. <i>Alphabets</i> .java	143-144	Prints the middle twenty four alphabets	None	main	None	143-144	143-144	143-144	143-144	143-144	143-144	143-144
73. <i>Alphabets</i> .java	145-146	Prints the first twenty five alphabets	None	main	None	145-146	145-146	145-146	145-146	145-146	145-146	145-146
74. <i>Alphabets</i> .java	147-148	Prints the last twenty five alphabets	None	main	None	147-148	147-148	147-148	147-148	147-148	147-148	147-148
75. <i>Alphabets</i> .java	149-150	Prints the middle twenty five alphabets	None	main	None	149-150	149-150	149-150	149-150	149-150	149-150	149-150
76. <i>Alphabets</i> .java	151-152	Prints the first twenty six alphabets	None	main	None	151-152	151-152	151-152	151-152	151-152	151-152	151-152
77. <i>Alphabets</i> .java	153-154	Prints the last twenty six alphabets	None	main	None	153-154	153-154	153-154	153-154	153-154	153-154	153-154
78. <i>Alphabets</i> .java	155-156	Prints the middle twenty six alphabets	None	main	None	155-156	155-156	155-156	155-156	155-156	155-156	155-156
79. <i>Alphabets</i> .java	157-158	Prints the first twenty seven alphabets	None	main	None	157-158	157-158	157-158	157-158	157-158	157-158	157-158
80. <i>Alphabets</i> .java	159-160	Prints the last twenty seven alphabets	None	main	None	159-160	159-160	159-160	159-160	159-160	159-160	159-160
81. <i>Alphabets</i> .java	161-162	Prints the middle twenty seven alphabets	None	main	None	161-162	161-162	161-162	161-162	161-162	161-162	161-162
82. <i>Alphabets</i> .java	163-164	Prints the first twenty eight alphabets	None	main	None	163-164	163-164	163-164	163-164	163-164	163-164	163-164
83. <i>Alphabets</i> .java	165-166	Prints the last twenty eight alphabets	None	main	None	165-166	165-166	165-166	165-166	165-166	165-166	165-166
84. <i>Alphabets</i> .java	167-168	Prints the middle twenty eight alphabets	None	main	None	167-168	167-168	167-168	167-168	167-168	167-168	167-168
85. <i>Alphabets</i> .java	169-170	Prints the first twenty nine alphabets	None	main	None	169-170	169-170	169-170	169-170	169-170	169-170	169-170
86. <i>Alphabets</i> .java	171-172	Prints the last twenty nine alphabets	None	main	None	171-172	171					